






EYE
STAINLESS STEEL

STOCK EYE FASTENED TO
THE INNER SIDE OF THE SPAR
WITH 5 x 10 mm POP RIVETS




TILLER EXTENSION JOINT
STAINLESS STEEL

FASTENED WITH M5
STAINLESS STEEL BOLTS





KICKING STRAP EYE PLATE
STAINLESS STEEL

FASTENED WITH M5 STAINLESS STEEL BOLTS





TOE STRAP PLATE
STAINLESS STEEL

FASTENED THROUGH THE TOE STRAP
WITH M5 STAINLESS STEEL BOLTS



MAINSHEET EDGE EYE
STAINLESS STEEL



FASTENED WITH AN M5 STAINLESS STEEL BOLT



PINTLE AND GUDGEON
STAINLESS STEEL


PINTLES FASTENED TO THE RUDDER
WITH 5 x 50 mm STAINLESS STEEL
SCREWS

GUDGEONS FASTENED
TO THE TRANSOM WITH
M5 STAINLESS STEEL BOLTS



GOOSENECK
STAINLESS STEEL

FASTENED TO THE BOOM
WITH 5 x 12 mm POP RIVETS



2.6m

SPAR AND HULL FITTINGS
SHEET 26.4/4, SIZE A2
SCALE 1:1

RADOSŁAW WERSZKO
JUNE 2005, JANUARY 2011, DECEMBER 2012